


This document is the property of KCB Solutions, Inc. and contains company confidential and/or proprietary information. It is issued in strict confidence and the recipient shall not reproduce, copy, cause to be reproduced or copied, disclose to others, or use as the basis for manufacture, sale or purchase of apparatus the contents or portions thereof of this document without written permission of KCB Solutions.

REVISIONS				
ZONE	REV	DESCRIPTION	DATE	APPROVED
	(-)	CDCO 1869: INITIAL RELEASE	07/09/18	EJW



- NOTES:
1. LID/SEAL RING: GOLD PLATED ASTM F-15 ALLOY
  2. BODY: ALUMINA
  3. TERMINATION PLATING: 50 MICROINCHES MIN GOLD OVER 50 MICROINCHES MIN NICKEL

BOTTOM SURFACE

UNLESS OTHERWISE SPECIFIED DIMENSIONS ARE IN INCHES TOLERANCES ON FINISH DIMS .17/64 UNLESS OTHERWISE SPECIFIED DECIMALS 3.000 COMMERCIAL PUBLISHED TOLERANCES SHALL APPLY TO TURNING, DRILLING, AND MACHINING OPERATIONS. DIMENSIONS OF CAST PARTS SHALL BE USED FOR MATH ACTUATING PURPOSES.	DRAWN BY	D.SCORFIELD	12/12/16	KCB SOLUTIONS, LLC. 900 Mount Laurel Circle, Shirley, Ma. 01464
	CHECKED BY			
	ENG.	D.SCORFIELD	12/12/16	
	THIRD ANGLE PROJECTION			OUTLINE, HERMETIC QFN 16 LEAD 0.34 x 0.44
	USED ON			SIZE CAGE CODE B 3W3Q7
NEXT ASSEMBLY	APPLICATION			SCALE 1 : 1
				SHEET 1 OF 2